

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"3366942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:07
S2	2	"4475388".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 15:21
S3	2	"5544531".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 15:22
S4	2	"5237523".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:22
S5	0	"flowmeter and temperature"".ti"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 15:25
S6	0	"flowmeter and temperature"".ti"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 15:28
S7	2	"5,544,531".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 15:29
S8	2	"4,987,549 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 15:30
S9	3	"4,236,410 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 15:33
S10	3826	(flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:14
S11	127	S10 and (balanc\$3 with (flow or fluid or flowmeter) with temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:24

S12	43	S11 and (bridg\$3 with (flow or fluid or flowmeter) with (temperature or thermal\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:23
S13	4577	(flowmeter\$1 or (flow adj meter) or (flow adj rate) or (flow adj velocity)) with (temperature or thermal\$2 or heat\$3) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:22
S14	269	S13 and (bridg\$3 with (flow or fluid or flowmeter) with (temperature or thermal\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:23
S15	49	S14 and (balanc\$3 with (flow or fluid or flowmeter) with temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:45
S16	1	S15 and ((overheat or ((temperature or thermal) with (threshold or limit))) with (flow or fluid or flowmeter))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:29
S17	0	S13 and (overheat adj factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:28
S18	0	(overheat adj factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:28
S19	199	S13 and ((overheat or ((temperature or thermal) with (threshold or limit))) with (flow or fluid or flowmeter))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:30
S20	0	S19 and ((temperature or thermal or heat) with (correct\$3 or compensat\$3 or calibrat\$3) with (predetermined adj (function or relationship or dependence or fomular or equation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:32
S21	10	S13 and ((temperature or thermal or heat) with (correct\$3 or compensat\$3 or calibrat\$3) with (predetermined adj (function or relationship or dependence or fomular or equation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:36
S22	11	S14 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:40

S23	99	S13 and (wheatstone adj bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:45
S24	8	S15 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:41
S25	36	S13 and (signal adj conditioner)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:46
S26	1	S14 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:45
S27	1	S13 and ((signal adj conditioner) with bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:48
S28	2	S13 and ((conditioner) with bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:48
S29	7	S13 and ((conditioning) with bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:53
S30	0	S13 and ((temperature adj bridge) with (flow adj bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:53
S31	0	((temperature adj bridge) with (flow adj bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:54
S32	75	((temperature near3 bridge) with (flow near3 bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 16:54
S33	18	S32 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:03

S34	9	(impedance with (flow or flowmeter or fluid) with resist\$4 with (temperature or thermal or heat\$3) with bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:16
S35	54	(predetermined with virtual with temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:17
S36	0	(predetermined with virtual with temperature with balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:17
S37	1	(predetermined with virtual with temperature) same balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:19
S38	0	S13 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:18
S39	1779	(predetermined with temperature) same balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:24
S40	30	S13 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:19
S41	3	(predetermined with (gas adj compensation))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:25
S42	128	( (gas adj compensation))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:25
S43	1	S13 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:25
S44	77702	(predetermined with (gas withcompensation))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:25

S45	175	(predetermined with (gas with compensation))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:27
S46	11	S45 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:25
S47	30	(predetermined with (gas near3 compensation))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:30
S48	258	S13 and (gas near3 (compensation or correction or calibration))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:31
S49	205	S13 and ((gas near3 (compensation or correction or calibration)) with (flow or temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:32
S50	123	S13 and ((gas near3 (compensation or correction or calibration)) with (flowwith temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:32
S51	91	S13 and ((gas near3 (compensation or correction or calibration)) with (flow with temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:32
S52	9	S13 and ((gas near3 (compensation or correction or calibration)) with (flow with temperature) with predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:41
S53	20135	(predetermined with temperature\$1 with (flow or fluid or flowmeter))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:37
S54	3531	S53 and ((correct\$3 or compensat\$3 or calibrat\$3) with temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:39
S55	614	S54 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:39

S56	245	S55 and ((function or relationship or dependence or equation) with temperature with (flow or fluid or flowmeter))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:43
S57	103	S55 and ((function or relationship or dependence or equation) with temperature with (flow or fluid or flowmeter) with (correct\$3 or compensat\$3 or calibrat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:43
S58	0	S57 and (each adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:44
S59	14	S57 and (balanc\$3 with (flow or fluid or flowmeter) with temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:50
S60	953	(flow or flowmeter or fluid or temperature or thermal) with signal\$1 with (adjust\$3 or correct\$3 or calibrat\$3 or compensat\$3) with (overheat or (over adj heat) or threshold or limit) with (temperature or thermal)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:58
S61	18	(flow or flowmeter or fluid or temperature or thermal) with signal\$1 with (adjust\$3 or correct\$3 or calibrat\$3 or compensat\$3) with (overheat or (over adj heat)) with (temperature or thermal)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/08 12:11
S62	399	(flow or flowmeter or fluid or temperature or thermal) with signal\$1 with (adjust\$3 or correct\$3 or calibrat\$3 or compensat\$3) with predetermined with (factor or constant or threshold or limit) with (temperature or thermal)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:59
S63	31	S13 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/26 17:59
S64	299	702/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 11:01
S65	12	S64 and (flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 11:02
S66	2	"4807151".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 11:03

S67	2	"6230560".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 14:36
S68	272	702/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 14:38
S69	25	S68 and (flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 14:38
S70	178	702/47.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 14:38
S71	8	S70 and (flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 14:40
S72	229	73/204.25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 14:40
S73	25	S72 and (flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/14 14:40
S74	132	73/204.18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:15
S75	33	S74 and (flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:17
S76	178	73/861.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:19
S77	26	S76 and (flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:16

S78	3845	(flowmeter\$1 or (flow adj meter) or (flow adj rate)) with (temperature or thermal\$2) with (correct\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:17
S79	255	73/861.65.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:20
S80	1	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:21
S81	137	340/608.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:21
S82	23	702/53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:23
S83	402	702/56.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:24
S84	185	702/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:24
S85	194	702/99.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:24
S86	620	702/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:24
S87	63	702/133.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:26
S88	0	S81 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:26



S89	0	S82 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:27
S90	1	S83 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:27
S91	1	S84 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:27
S92	7	S85 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:28
S93	8	S86 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:28
S94	1	S87 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/18 09:28
S95	3	(overheat or (over adj heat)) near4 (temperature or thermal or factor or constant) with (predetermined or selected or specified) with bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:49
S96	0	balanc\$3 with flow adj ration with temperature adj ratio with temperature with calibration near5 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 08:45
S97	1	balanc\$3 with flow adj ratio with temperature adj ratio with temperature with calibration near5 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 08:45
S98	1	balanc\$3 with flow near5 (ratio or rate) with temperature near5 (ratio or rate) with temperature with calibration near5 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 08:46
S99	4	balanc\$3 with flow near5 (ratio or rate) with temperature near5 (ratio or rate) with temperature with calibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:17

S10 0	26	gas near4 compensat\$3 with (flow or temperature) near4 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:19
S10 1	6	S100 and (flowmeter or flow adj meter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:20
S10 2	420	gas near4 compensat\$3 with (flow or temperature) near4 rate	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:19
S10 3	93	S102 and (flowmeter or flow adj meter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:20
S10 4	3	(overheat or (over adj heat)) near4 (temperature or thermal or factor or constant) with (predetermined or selected or specified or desired) with bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:51
S10 5	3	(overheat or (over adj heat)) with (predetermined or selected or specified or desired) with bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 09:58
S10 6	2	bridge with temperature near3 differen\$4 with (factor or contant or coefficient) near4 (predetermined or specified or desired)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 10:49
S10 7	1	(bridge near5 circuit) same temperature near3 differen\$4 with (factor or contant or coefficient) near4 (predetermined or specified or desired)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 10:50
S10 8	15	bridge with temperature with (factor or contant or coefficient) near4 (predetermined or specified or desired)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 10:54
S10 9	1	bridge with temperature with (factor or contant or coefficient) near4 overheat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 10:56
S11 0	45	bridge with temperature with overheat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:16

S11 1	0	across near3 bridge with temperature with overheat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:16
S11 2	396	across near3 bridge with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:32
S11 3	78	across near3 bridge with temperature with heat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:16
S11 4	239	S112 and bridge adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:17
S11 5	18	S112 and (flowmeter or flow adj sensor) with (temperature or thermal) near3 sens\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:33
S11 6	89	across near3 bridge with temperature near34 differen\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:32
S11 7	47	across near3 bridge with temperature near4 differen\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:32
S11 8	4	S117 and (flowmeter or flow adj sensor) with (temperature or thermal) near3 sens\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/09 11:33